

IMC MISTRAL M135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 1350 MM - 0.357 KW

MODEL: F77/350/B



PRODUCT OPTIONS AND ACCESSORIES

A12/099 Wire Shelf - Chrome - for M135 Bottle Cooler

The M135 provides easy storage of up to 310 (330ml) bottles. The polished stainless steel interior enhances display, whilst the black exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energyefficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

Constructed from robust stainless steel, the M135 has double-glazed triple doors which are lockable

PRODUCT FEATURES

- Stylish, flexible storage for up to 310 bottles
- Electronic temperature controller and auto defrost for perfectlychilled drinks
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

AIA FILE NUMBER:







IMC MISTRAL M135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 1350 MM - 0.357

MODEL: F77/350/B

WEIGHTS & DIMENSIONS

Width	1350 mil
Depth	500 mil
Height	900 mil
Weight	109 kg

SHIPPING DETAILS	
Ship Width	142 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	119.9 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	2.79 A	Number of Electrical Plugs	1
Electrical Volts	240V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	357 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	0.357 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

imc

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter
Capacity: Bottles	310
Capacity Volume	329
Control Type	Digital Touch Pad, Elec- tronic
Defrost Method	Automatic
Insulated	Yes

Number of Shelf Positions	29
Number of Shelves	2
Refrigerant Type	R-290
Temperature Maximum	6 °C
Temperature Minimum	2 °C
Type of Lighting	LED

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated October 30, 2024




Whisby Road, Lincoln, LN6 3QZ, UK





IMC MISTRAL M135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 1350 MM - 0.357

MODEL: F77/350/B

TECHNICAL DRAWING







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated October 30, 2024

Whisby Road, Lincoln, LN6 3QZ, UK